

RECEIVED
CENTRAL FAX CENTER

JAN 25 2006

VIA FACSIMILE NO.: 571-273-8300

BEST AVAILABLE COPYPATENT
SLA01 P-100A

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Application Serial No.	:	10/707,285	Confirmation No.:	1284
U.S. Filing Date	:	December 3, 2003		
Applicant	:	Keith E. Slack		
For	:	SYSTEM AND METHOD FOR REMOVING ROOF MATERIAL		
Attorney Docket No.	:	SLA01 P-100		
Customer No.	:	28101		

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following papers are being facsimile transmitted to the Patent and Trademark Office on the date shown below:

STATUS INQUIRY (1 page)**YOU SHOULD RECEIVE A TOTAL OF TWO (2) PAGES.**

Dated: January 25, 2006.

Donna J. Raaymakers
Donna J. Raaymakers
Van Dyke, Gardner, Linn & Burkhart, LLP
2851 Charlevoix Drive, S.E., Suite 207
Post Office Box 888695
Grand Rapids, Michigan 49588-8695
(616) 988-4108

FSB:djr
SLA01 P-100A
Enc.

VIA FACSIMILE NO.: 571-273-8300

BEST AVAILABLE COPY**PATENT**
SLA01 P-100A**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

U.S. Application Serial No. : 10/707,285 Confirmation No.: 1284
U.S. Filing Date : December 3, 2003
Applicant : Keith E. Slack
For : SYSTEM AND METHOD FOR
REMOVING ROOF MATERIAL
Attorney Docket No. : SLA01 P-100
Customer No. : 28101

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

STATUS INQUIRY


A check of our file indicates that the above-identified patent application has been filed for more than two years without an Office Action being received by us. The application was published on July 1, 2004. Therefore, would you please give us the status of this matter. This request is made to avoid any lack of diligence being attributed to the Applicant.

Respectfully Submitted,

KEITH E. SLACK

By: Van Dyke, Gardner, Linn & Burkhardt, LLP

Date: January 25, 2006.



Frederick S. Burkhardt
Registration No. 29 288
2851 Charlevoix Drive, S.E., Suite 207
P.O. Box 888695
Grand Rapids, MI 49588-8695
(616) 988-4104

FSB:djr
SLA01 P-100A